


Thank your Doctor



Synkorp Labs Limited

Flot No. 403, Vishal Towers, Baghamer, Kuktpally, Hyderabad - 500 072, India. www.synkorp.com For feedback and Queries SYNKORP Contact Customer Care : + 91 40 4222138

Synkorp Labs Limited



The One Master Stroke ...with Lasting Effect



AZISYN 250 500

Azithromycin Tablets 250 mg & 500 mg

Indications

Upper and lower respiratory tract infections

Skin and soft tissues infections

Urogenital infections

Highly effective against intracellular pathogens such as microplasma, chlamydia, legionella & salmonella


5 day course of Azithromycin is an effective treatment for uncomplicated typhoid fever in children & adolescents

Short course of Azithromycin is as efficacious as Clarithromycin

 It has an increased activity against gram-negative and atypical micro-organisms Greater acid-stability and its gastrointestinal Tolerance better than erythromycin

The Safe and Trusted Antibiotic with unmatched Characteristics

THE PERFECT BALANCE OF SAFETY & EFFICACY



INDICATIONS:

- RESPIRATORY TRACT INFECTIONS
- URINARY TRACT INFECTIONS
- BONE & JOINT INFECTION
- ENT INFECTION
- UNCOMPLICATED GONARRHOEA
- SKIN & SOFT TISSUE INFECTIONS



SYNOCEF 100 DT, 200 & 400

CEFIXIME DISPERSIBLE TABLETS 100mg & CEFIXIME TABLETS 200mg & 400 mg

- Wide spectrum coverage against bacterial pathogens
- Acts by inhihibition of bacterial cell wall synthesis
- Excellent penetration in respiratory tissue & bile
- Highly stable in the presence of beta-lactamase enzymes

The All Gene tion Antibiotic

Hit hard at opposing INFECTIONS

SYNOCEF

Cefixime for oral suspension 100mg/5ml

SYNOCEF-DS

Protects Childhood Aganist Harsh Infections

Cefixime for oral suspension 200mg/5ml

INFECTIONS

Dry Syrups



INDICATIONS

Respiratory tract infections

Pharyngitis, Tonsilitis and Influezae

Acute Bronchitis

Community Acquired Pneumonia

Multidrug resistant typhoid

Urinary Tract Infections

Highly active against both Gram positive and Gram negative organisms

Stable in the presence of beta-lactamase

Preseribe in:

Excellent efficacy in Otitis Media

Drug of choice for treating multi dose

resistant typhoid

Excellent tissue & Fluid penetration

Pefect move aganist pathogens

The Hard Hitting
Antibacterial





Tough Combination for



SYNOCEF-AZ 350

Cefixime 200mg + Azithromycin 250mg/500mg Tablets

for Tough Pathogens

Cefixime Higher B-lactamase stability than other Cephalosporin

Excellent penetration in tissues and body fluids

Inhibits bacterial cell wall synthesis


Azithromycin Superior activity against gram +ve & gram -ve bacteria

Gastrointestinal tolerance is better than that of

Erythromycin, Very long half life

 Potent combination of broad spectrum third generation cephalosporin & Macrolide antibiotic

Excellent penetration in body tissues & macrophages





- Respiratory tract infections
- Urinary tract infections
- Skin and soft tissue infections
- Sexually transmitted diseases
- Gynaecological infections
- Bone & joint infections

- Chronic bronchitis
- Pneumonia
- Typhoid
- Acute Otitis media
- Sinusitis
- Urogenital Infections

KNOCK OUT infections with perfection

Cefpodoxime Proxetil 50mg & 100mg Per 5ml Dry Syrup 30ml

SYNOPOD^{100DT}₂₀₀

Cefpodoxime Proxetil 100mg Dispersible Tablets Cefpodoxime Proxetil 200mg Tablets

Highly active against both Gram positive and Gram negative organisms

Stable to beta-Lactamase degradation

Pharyngitis/Tonsillitis

Urinary Tract Infections

Skin & Soft Tissue Infections

Community Acquired Pneumonia

Chronic Brochitis



- Clinical cure rate: 90.3% in Pharyngotonsillitis
- Drug of choice in treament of most URTIs¹
- Ideal switch over therapy from intravenous Ceftiaxone in seroius RTIs²
- Proven efficacy in acute Otitis Media.
 Tonsillitis and Pharyngitis ²

st Choice Empirical Therapy

The Hard Hitting Antibacterial

SNF

Clinical Challenges... IN THE MANAGEMENT OF INFECTIONS



Cefuroxime Axetil Tablets 250mg & 500mg


Orally effective 2nd generation cephalosporin

Short course cefuroxime is superior to the standard oral penicillin regimen in the therapy of pharyngitis


Cefuroxime given 10 days or 4 to 5 days over 10 days of penicillin show better effects

Achieves superior cure rates compared to Amoxycillin/Clavulanic Acid in community accquired pneumonia

First choice option in the treatment of Acute pyelonephritis during pregnancy due to its tolerance microbiological activity and efficacy



Synoxet Reliable Therapy for Assertive Result



SYNOMOX-CL 625 & 1000

Amoxycillin 500 mg & Potassium Clavulanate 125 mg Tablets Amoxycillin 875 mg & Potassium Clavulanate 125 mg Tablets

AMOXYCILLIN

Effective against both gram positive & gram negative organisms

Achieves peak serum levels (Between 1 to 2 Hrs)

The safe & well tolerated antibiotic

POTASSIUM CLAVULANATE

Inactivates & irreversibly Inhibits variety of beta-lactamases

Synergises spectrum of Amoxycillin

Protects Amoxycillin from hydrolysis

Clinically proven Efficacy Absorption unaffected by food **Enhanced Spectrum of Amoxicillin Better Patient Compliance**

INDICATIONS:

URTI & LRTI

UTI

GONORRHOEA

SKIN & SOFT TISSUE





A Combination That Assures Safety Against Infections



OVERCOME TOUGH INFECTION RESURANCE

LEVOSYN 500 & 750

Levofloxacin Tablets 500 mg & 750 mg

- Active against Gram +ve & Gram -ve, atypical & anaerobes
- Broad spectram antibacterial agent.

Levofloxacin is similar to ofloxacin in all respects that it is twice as potent.

Among all fluoroquinolones, Levofloxacin shows greates activity against the mycobacterium tuberculosis. **Respitatory Tract Infection**

Skin & Soft tissue Infection

Urinary Tract Infection

Urinary Tract Infection

Community Acquried Pnemonia

Chronic Bronchitis




MIX

For deep seated bacterial infections, The Right Quinolone

MOXISYN 400

Moxifloxacin Tablets 400 mg



- Broad spectrum of activity against common pathogens
- Prevents development of drug resistant pathogens

Safe & Sure Therapeutic Results in

- Community-acquired pneumonia
- Chronic bronchitis
- Acute bacterial sinusitis

- Acute pyelonephritis
- Urogenital infections
- Bone & joint infections







Touble Stregth for Stubbon Infections...

Guard the body against

Gastro Intestinal Infections ...

Rifaxyn 200 550

Rifaximin Tablets 200mg & 550mg

Non-invasive bacterial diarrhoea doesn't need an antiprotozoal



Rifaxyn offers

Wide-spectrum, long-acting, GI-Specific antibiotic and has no clinically relevant bacterial resistance.

Useful in the treatment of GI disorders associated with altered bacterial flora, including IBS and small intestinal bacterial over growth.

Improves symptoms associated with IBS, such as bloating, flatulence, stool consistency and abdominal pain.

Indications

Irritable Bowel Syndrome (IBS) with Diarrhea

For the treatment of Hepatic Encephalopathy

Non-invasive bacterial diarrhoea

Uncomplicated diverticular desease

Prophylaxis of cholorectal surgeries



Drug of choice in the treatment of Acute, Non-complicated infectious diarrhoea

FRONT LINE LEADERS IN PAIN & INFLAMMATION



SYCLONAC-SP

Aceclofenac 100mg + Paracetamol 500mg + Serratiopeptidase 15mg Tablets



ACECLOFENAC

Aceclofenac was significantly more effective than diclofenac in improving knee flexion after 2-4 weeks of treatment Better safety than conventional NSAIDs with respect to adverse effects on gastrointestinal & cardiovascular system Patients with symptomatic OA of the Knee showed a greater improvement in pain & functional capacity with aceclofenac than paracetamol.



PARACETAMOL

The versatile analgesic & time tested, safe & effective pain reliever.

SERRATIOPEPTIDASE

Powerful treatment for pain and inflammation with Specially inducing fibronolytic, anti-inflammatory acitivity & anti-edemic activity.

Block pain inducing amine from inflammation site



Arthritis | Sprain & Strain | Fractures | Sports Injuries | Post-operative Wounds |

Dental pain & Surgery

Restores Smiles, Relieves Pain...

Trio Power Against Pain...

Synzox-MR Aceclofenac 100mg & Paracetamol 325mg &

Chlorazoxazone 250mg Tablets

Aceclofenac Relives pain & infammation.

Paracetamol is used with NSAIDS in the management of more severe pain.

Chlorzoxazone is a centrally acting muscle relaxant used to treat muscle spasm and the resulting pain or discomfort.

Aceclofenac and Paracetamol have good analgesic & anti-inlammatory actions while Chlorazoxazone is good skeletal muscle relaxant.

Indications

Rheumatoid Arthritis

Soft Tissue Injuries

Back Pain

Tendonitis & Bursitis

musculoskeletal Disorders

Post Surgical Pain









Experience the superior relief

SME

An effective & Safe treatment option for inflammatory arthritis, Including rheumatoid arthritis ...



Leflusyn

Leflunomide Tablets 20mg







- Leflunomide is used to treat adult patients with active rheumatoid arthritis.
- Symptoms of rheumatoid arthritis include inflammation of joints, swelling, difficulty moving and pain.
- Other symptoms that affect the entire body include loss of appetite, fever, loss of energy and anaemia (reduction of red blood cells).

New development for arthritis

- New oral DMARD for RA treatment
- Isoxazole Derivative
- Pyrimidine synthesis inhibitor
- Active metabolite undergoes enterohepatic circulation
- Has both anti inflammatory and immuno modulatory properties
- Act by inhibiting the synthesis of DNA & RNA in immuno response cell particularly T-Cell
- Also inhibits the production of cytokines
- Rapid onset of action

Improves both functional ability & physician based efficacy measures in patients with RA Has demonstrated efficacy as a monotherapy in psoriatic arthritis & also has a beneficial effect in psoriasis.

Retention on treatment with Leflunomide is equal to Methotrexate & superior to other DMARDs Holds considerable promise as an anti-rejection drug for use in recipients of corneal transplants in whom Cyclosporin-A and steroids are contraindicated







Disease Modifing Anti-Rheumatic Drug* (DMARD)





Celecoxib Capsules 100 mg & 200 mg

SYNCOX 288

Restores easy mobility by resloving pain & Inflammation

- A Rheumatic & arthritic condition
- ▲ Traumatic pain & inflammation
- Painful shoulder
- Low back pain
- Pelvic inflammatory diseases
- Dental pain
- Post surgical pain & inflammation

COVENIENT ONCE TWICE DAILY DOSE FOR BETTER COMPLIANCE

RELATIVELY FREE FROM GASTRO-INTESTINAL SIDE EFFECTS

SYNCOX

The better choice in pain & Inflammation

Celecoxib Capsules 100mg & 200 mg

Restores the Flexibility and add strongness in bones & Joints

Ortho-Flex

Glucosamine Sulfate 500mg, Chondroitin Sulfate 100mg, Hyaluronic Acid 1.66mg, Methylsulfonylmethane 375mg & Vitamin D3 1000IU Tablets

- Improves Joint comfort & Stiffness
- Soothes achy joints
- Promotes mobility & flexibility
- Helps to relieve Joint pain associated with Osteoarthritis
- Helps to prevent cartilage degeneration and treat Arthritis
- Protects and defends against the signs of aging and joint wear & tear

Glucosamine Sulfate and MSM act as the building blocks for proteoglycans and stimulate chondrocytes to make new collagen and proteoglycans.

Glucosamine Sulfate and MSM when taken together are shown to have double the joint comfort relief than either alone



Halts Joint Degradation and releives Pain

CHONDROITIN:

Reduces pain and inflammation, improves joint function and slows progression of osteoarthritis (OA)

HA:

hyaluronic acid delivers the building blocks necessary to formulate the of proteoglycans that comprise healthy joints

MSM:

Helps in Structural integrity of cartilage by promoting collagen synthesis and inhibits pain impulses and provides pain relief

VITAMIN D3

Builds and maintains strong bones;

Aids with calcium absorption; helps prevent osteoporosis; and helps regulate cells responsible for autoimmune functions.

INDICATIONS:

Maintenance of normal connective tissues Beneficial to cartilage Strengthens the bones Improves joint function and mobility Helps reduce pain and stiffness




ESSENTIAL TO SUPPORT BETTER JOINT HEALTH

Fight Heartburn associated with GERD with the power of

D-LANOSYN-30 & 60

Dexlansoprazole Modified Release Capsules 30mg & 60mg

The only PPI with dual release Technology



Dexlansoprazole is effective for the symptomatic relief in Non-erosive Gastro-esophageal Reflux Disease Patients. Dexlansoprazole is an enantiomer of Lansoprazole

Use in the treatment and maintenance of patients with erosive oesophagitis and non-erosive gastrooesophageal reflux disease (GERD or GORD)

Take D-LANOSYN any time of day, with or without food

D-LANOSYN provides up to 24 hours of relief from heartburn due to GERD

INDICATED FOR:

- Healing of all grades of Erosive Esophagitis (EE)
- Maintaining healing of EE and relief of heartburn
- Treating Heartburn associated with symptomatic non-erosive gastroesophageal reflux disease (GERD)



THE ONLY PRESCRIPTION TREATMENT
WITH TWO RELEASES OF GERD MEDICINE
WORKING TOGETHER IN ONE PILL

Extended Symptom Control

When Acid Strikes...

....Every minute seems like endless


ESOMYN 20/40

Esomeprazole Delayed Release Tablets 20mg & 40mg









Peptic Diseases

Heartburn

Reflux Esophagatis

Chronic Dyspepsia

GERD

NSAID Induced Gastric Ulcers



 Attains PH > 6 within 60 seconds for immediate control of Heartburn

Maintains PH>4 for 22.5 hrs-Total 24 hours protection*



A Recommended First Line Treatment For Frequent Heartburn....



Acid in stomach can change every moment ... in to a painful never ending moment

R_X Immediate acting PPI

ESOMYN-LSR

Esomeprazole 40mg + Levosulpiride 75mg Tablets

Esomeprazole

- Early response in erosive esophagitis compared to Omeprazole
- Early response in chronic heart burn
- Significantly greater control of moderate to severe GERD comparision to Pantoprazole
- Well tolerated

Levosulpiride

- Selective antogonist of dopamine D2 receptors activity both central & peripheral levels
- Mood elevating properties & relieves GERD

Fast Action Faster Relief

Indicated in:

GERD, Dyspepsia, Peptic Ulcer, Anxiety

Irritable Bowel Syndrome, Heart Burn

Zolinger Elision Syndrome

Healing of Erosive Esophagitis

Protection beyond symptoms relief

The Right Therapy for Functional Dyspepsia & Gastroparesis

RABESYN LSR

Rabeprazole Sodium 20mg ER & Levosulpiride 75mg SR Capsules

Rabeprazole - The fastest acting PPI provides fast onset of action thus fast relief from symptoms.

Protect PPI provides 99% inhibition of proton pump thus maximum suppression of acid release is achieved

Levosulpiride - the new prokinetic agent, demonstrates greater central antidopaminergic activity, antiemetic and antidyspeptic effects.

Provides better relief from overall symptoms thus ensures better quality of life to patients.

Well tolerated by patients with high safety profile.

Levosulpride-the new prokinetic agent, Demonstrates, greater central anti-dopominergic, antiemetic and antidyspeptac effects.

Reliable Combination with Rabeprazole which starts working immediately and keeps controlling acid reflex 24 hours

Well tolerated by patients as compared to Domperidone with high safety profile



Most Effective with More Comfort

GERD

Dyspepsia

Diabetic Gastroparesis

Better Relief from Symptoms, Better Quality of Life

RS

When severe advisorious Needs urgent control

Pantosyn-DSR

Pantoprazole 40 mg + Domperidone 30 mg SR Caps

IN IDEAL COMBINATION

Controls Acid Secretion & Reflux Oesophagitis

Pantoprazole


- Offers longer duration of acid inhibition
- Prevents both daytime & night time heart burn

Domperidone

- Offers pro-kinetic and anti-emetic effects
- Accelerates Gastric emptying time

Effectively heals:

- Heat Burn
- Dyspepsia
 - GERD
- Gastric Ulcer
- Reflux Esophagitis



The best Champion against acid pain

The Preferred Anti-bacterial For Complex & Tough Infections

SYFAXON 19

Ceftriaxone for Injection 1gm Vial

Indications:

- ✓ Deep Tissue Infection
- √ Surgical Prophylaxis
- ✓ Respiratory Tract Infections
- √ Sexually Transmitted Disease
- √ Skin & Soft Tissue Infections
- ✓ Urinary Tract Infections

- √ Pneumonia
- ✓ Bacterial meningitis
 - √ Typhoid
 - √ Gynaecological Infections
 - √ Septicaemia
 - ✓ Bone & Joint Infections

Prolonged Concentrations in the tissues beyond 24 hours broad spectrum coverage

Covers the most common pathogens with low MIC values
Antibacterial activity starts immediately



Offers Better Coverage With Total Confidence

Presenting An Extra Ordinary Combination of 3rd Generation Cephalosporin + Betalactamase Inhibitor

SYF0Z0N-S 750mg & 1.5g

Cefoperazone 0.5/1g + Sulbactam 0.25/0.5g Vial

Indications:

- Nosocomial Infections & surgical prophylaxis
- ✓ Respiratory Tract Infections
- ✓ Sexually Transmitted Disease
- ✓ Skin & Soft Tissue Infections
- Urinary Tract Infections

- Chronic suppurative bacterial otitis media
- Bacterial meningitis
- Cholecystitis
- Osteomyelitis
- Bone & Joint Infections

Ceftriaxone:

Active against aerobic gram +ve & -ve microorganism & many anaerobic micro-organism Achieves excellent tissue and fluid penetration Maintains longer half life among all cephalosporins allowing foronce daily dosing

Sulbactam:

Inactivates enzymes that destroys penicillins
& Cephalosporins by lactamase resistant structure
Exhibits bactericidal activity against: Staphylococci,
H.Influenzae, M.Catarrhalis & Neisseria spp.
Potentiates activity of lactamase sensitive Ceftriaxone &
Increases its spectrum



The Dependable Duo Against Resistant Infections

In serious INFECTIONS

PIPERSYN-T

Piperacillin 4.0gm+Tazobactam 500mg

Need to have EMPIRICAL THERAPY



 Piperacillin / Tazobactam is useful for the treatment of infections that are likely to be polymicrobial or in situations where oraganisms with plasmid-mediated B-lactamases have become problematc.

Piperacillin

- Broadest spectrum of activity that includes P. aeruginosa
- Increased potency against enterobacteriaceae and P. aeruginosa compared to Ticarcillin - Clavulanate
- 84.4% cure rate in complicated SSTI with diabetes

Tazobactam

 Prevent destruction of penicillin by B-lactamase and thus synergies the activity of penicillin

Pneumonia & Bronchitis Urinary Transitis

Skin & Soft Tissue Infection Meningitis

Post Surgical Infection Urinary Tract Infection Meningitis

For better and faster relief in gripping kind of pain



SYCLONAC 150mg/1ml Injection

Aceclofenac Injection 150mg/ml Solution for IM Injection

Has enhanced tolerability and decreased common side effects as compared to Diclofenac

One of the most popular analgesic and anti-inflammatory drugs used for the relief of pain, rheumatoid arthritis, and osteoarthritis

Was better tolerated in terms of incidence and severity of GI adverse events and gastro protective agent requirement and was as efficacious as Diclofenac

Has been shown to have potent analgesic and anti-inflammatory activities similar to Indomethacin and Diclofenac















SYCLONAC supports you, whenever you need in

- * Orthopedic emergencies
- Osteoarthritis
- ⋆ Post-operative Pain
- * Fractures
- * Trauma
- Rheumatoid Arthritis

Dosage

I Injection every 6-8 hrs or Once or twice daily for 5 days or as prescribed by the physician

ACECLOFENAC

Better control over the pain than Diclofenac

Faster onset of action

Safe

Tolerable

Balanced antacid preparation for effective management of Hyperacidity

SYNOCID Mint Flavour

Dried Aluminum Hydroxide gel eq. to Aluminum Hydroxide 200mg, Magnesium Hydroxide 200mg, Activated Dimethicone 25mg Suspension 200ml)

For better consistant relief & healing in severe reflux oesophagitis therapy

Useful in

- Heart Burn
- Epigastric Pain
- Flatulence
- Indigestion
- Dyspepsia

- Gastritis
- Hyper Acidity
- Abdominal Discomfort
- Gaseous Detention

The superior acid neutralizer

Absolutely safe for long term use
The safest non-systemic antacid and
anti-flatulent combination
Maximum acid neutralising capacity
Relief typically occurs instantly
Provides prompt relief



Offers Antacid and Anti-Flatulant Remedy

Aluminum Hydroxide:

Neutralizes and reduces stomach acid relieving heart burn and indigestion

Magnesium Hydroxide:

Neutralizes stomach acid by reducing the pH of the stomach and increases intestinal movement

Activated Dimethicone:

Neutralizes and reduces stomach acid relieving heart burn and indigestion

Aluminum:

Provides some extra protection (from gastric acid) to cells lining the stomach

Magnesium:

Helps prevent constipation, which may be caused by the aluminum

Activated Dimethicone:

Possesses anti foaming and anti bloating effects significantly reduces nausea, vamiting, discomfort in stomach and abdominal pain. Safe and effective in relief of gas associated with heart burn.

An effective way to treat acidity